

# MOTACILLA SUECICA.



## CHARACTER GENERICUS.

*Rostrum* subulatum, rectum; mandibulis sub-  
æqualibus.

*Nares* ovatæ.

*Lingua* lacero-emarginata.

*Lin. Syst. Nat.* p. 328.

## CHARACTER SPECIFICUS, &c.

MOTACILLA fusca, pectore caudæque basi  
ferrugineis, gula cærulea, abdomine albido.

MOTACILLA SUECICA. M. pectore ferru-  
gineo fascia cærulea, reatricibus fuscis,  
versus basin ferrugineis.

*Lin. Syst. Nat.* p. 336.

CYANECULA.

*Briss. orn.* 3. p. 413.

---

Partes Europæ boreales incolit pulchra hæc avi-  
cula, magnitudine vera in tabula depicta.

Journal of the [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


[illegible]





*Handwritten text, possibly a signature or date, located at the bottom left of the illustration.*

THE  
SWEDISH RED-BREAST.



*GENERIC CHARACTER.*

*Bill* subulate, strait : mandibles nearly equal.

*Nostrils* obovate.

*Tongue* jagged or lacerated towards the tip.

*SPECIFIC CHARACTER.*

Brown MOTACILLA, with the throat blue,  
the breast and base of the tail ferruginous,  
and the abdomen whitish.

La Gorge-Bleue.

*Buff. ois.* 5. p. 206.

---

This elegant species is a native of the northern parts of Europe, and is represented on the plate in its natural size.